1 / 11

Fig.1




Fig.2




Fig.3




Fig.4

Fig.4						
				-		
408	RECEPTION FLAG COLUMN	 -	0	 -		
406	TIME LIMIT DATE/TIME COLUMN	 2002/12/7 20:00	2002/12/7 20:00	 2002/12/5 20:00	•••	
405	START DATE/TIME COLUMN	 2002/12/1 8:00	2002/12/1 8:00 2002/12/7 20:00	 2002/12/1 15:00 2002/11/15 8:00	•••	
404	PROVISION DATE/TIME COLUMN	 2002/12/2 13:15	2002/12/3 10:10	 2002/12/1 15:00		
402	SURVEYOR ID COLUMN	 36112	36114	 36113		
400	SHEET ID COLUMN	 1051	1030	 2016	•••	

108

F	l	g	•	t

Fig.5							7
416	SURVEYOR NAME COLUMN		Sato	Sasaki	Suzuki	p # B	
414	E-MAIL ADDRESS COLUMN		OO@△△△. co. jp	××@OO.ne.jp	$\Delta\Delta$ $\otimes \times \times \times$ co. jp		
412	TERMINAL ID COLUMN	5 K E	AZ1156a	CP2613b	Bb1126a		
410	SURVEYOR ID COLUMN	* * *	36112	36113	36114		

Fig.6

468 36112000. dat 450a - < SURVEY RESULT> <SURVEYOR ID> 36112 </SURVEYOR ID> **∼**−452 <SHEET ID> 1051 </SHEET ID> **-454** <SURVEY DATE AND TIME>2002/12/2 15:05</SURVEY DATE AND TIME> <ITEM 1> X₁, Y₁, H₁ </ITEM 1> **~**458 <ITEM 2> YES </ITEM 2> **~460** <ITEM 3> VERY HEAVY </ITEM 3> **~**462 <ITEM 4> 20021221505_36112.jpg </ITEM 4> 464 <ITEM 5> 20021221501_36112.jpg </ITEM 5> 466 450b <-- </ >
</SURVEY RESULT>

Fig.7

1 '6''								
	Г							7
434	ANALYSIS FLAG COLUMN	• • •		0		0		
432	RELIABILITY COLUMN		А	3	А	В		
430	RESULT FILE NAME COLUMN	• •	36112000. dat	20100×××. dat	35577000. dat	36112∆∆∆. dat	•••	
428	SURVEY DATE/TIME COLUMN	•••	2002/12/2 15:05	2002/12/2 14:05	2002/12/2 15:05	2002/12/2 15:15	• • •	
426	POSÍTION INFORMATION COLUMN		X1, Y1, H1	X2, Y2, H2	Хз. Үз. Нз	X4, Y4, H4		
424	COLLECTION DATE/TIME COLUMN		2002/12/2 15:07	2002/12/2 15:08	2002/12/2 15:08	2002/12/2 15:30	•••	
422	SHEET ID COLUMN	• • •	1051	1051	1051	1055	• • •	
420	SURVEYOR ID COLUMN	• • •	36112	20100	35577	36112		

116

Fig.8						
476	RELIABILÍŤY VALUE COLUMN	•••	A: 0 TO 5, B: 5 TO 15 C: 15 OR LARGER	A: 0 TO 15, B: 15 TO 50 C: 50 OR LARGER		
474	IDEAL VALUE COLUMN		OO SHOP POSITION (χ_0, y_0, h_0) C: 15 OR LARGER	$_{\Delta\Delta}$ SHOP POSITION $\left(\chi_{l},y_{1},h_{l}\right)$ C: 50 OR LARGER	• • •	
472	RELIABILITY DETERMINATION DATA ITEM COLUMN	•••	ITEM 1 (SURVEY POSITION INFORMATION)	ITEM 5 (SURVEY POSITION INFORMATION)	• • •	
470	SHEÉT ID COLUMN	• • •	1051	1055		

Fig.9

٤





Fig.10






Fig.11

